EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	access control AND ((access control NEAR list) SAME service provider) AND key AND (server | base$1station)) AND communication$1 network AND (server | base$1station) AND ((verif$7 | authenticat$3 | authoriz$5) AND (mobile device | mobile client | mobile) AND (726/2-4,16,17,21,26,27.ccls. | 713/155, 168,171,182.ccls. | 380/59,247-249,270, 277,278.ccls. | 455/410,411,556.1-559, 565,466,26.1.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/11 10:22
S2	2	"6075860".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/03 10:49
S3	2	"6104928".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/03 10:49
S5	14	(memory OR "SIM" OR subscriber identity module) AND service provider AND key AND communication AND mobile AND (713/171.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:40
S6	426	(memory OR "SIM" OR subscriber identity module) AND service provider AND key AND communication AND mobile AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/03 10:53
S7	433	(713/171.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/03 10:53
S8	2	"5794139".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 09:25

3/11/2009 10:47:32 AM
C:\ Documents and Settings\olouie\My Documents\EAST\Workspaces\10820682_SecurityKeyMGMTSystemAndMethodInAMobileCommNetwork_.w

Page 1

EAST Search History

S9	0	(access list) AND (memory OR "SIM" OR subscriber identity module) AND service provider AND key AND communication AND mobile AND (713/171.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:41
S10	7	(access list OR list) AND (memory OR "SIM" OR subscriber identity module) AND service provider AND key AND communication AND mobile AND (713/171. ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:44
S11	2	(access control) AND (memory OR "SIM" OR subscriber identity module) AND service provider AND key AND communication AND mobile AND (713/171.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 07:44
S12	394	(access control list) AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20030408" or @ad<"20030408" or @prad<"20030408" or @rlad<"20030408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:04
S13	8	(access control list) AND (713/171.ccls.) AND (@pd<"20030408" or @ad<"20030408" or @prad<"20030408" or @rlad<"20030408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:04
S14	341	(electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND key AND (identif$7 | "ID") AND network AND communication$1 AND mobile AND (726/2-8,21.ccls. | 713/155,168,171,182, 185.ccls. | 380/59,247-249,270.ccls.) AND (@pd<"20030408" or @ad<"20030408" or @prad<"20030408" or @rlad<"20030408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/09 16:02
S15	210	server AND (electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND key AND (identif$7 | "ID") AND network AND communication$1 AND mobile AND (726/2-8,21.ccls. | 713/155, 168,171,182,185.ccls. | 380/59,247-249, 270.ccls.) AND (@pd<"20030408" or @ad<"20030408" or @prad<"20030408" or @rlad<"20030408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/09 16:02

EAST Search History

S16	322	(server | base) AND (electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND key AND (identif$7 | "ID") AND network AND communication$1 AND mobile AND (726/2-8,21.ccls. | 713/155,168,171,182,185.ccls. | 380/59, 247-249,270.ccls.) AND (@pd<"20030408" or @ad<"20030408" or @prad<"20030408" or @rlad<"20030408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/09 16:02
S17	327	(server | station) AND (electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND key AND (identif$7 | "ID") AND network AND communication$1 AND mobile AND (726/2-8,21.ccls. | 713/155,168,171,182,185.ccls. | 380/59, 247-249,270.ccls.) AND (@pd<"20030408" or @ad<"20030408" or @prad<"20030408" or @rlad<"20030408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/09 16:02
S18	69	wide area AND (stor$3 | memory | medium | media | disk) AND (server | station) AND (electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND key AND (identif$7 | "ID") AND network AND communication$1 AND mobile AND (726/2-8,21.ccls. | 713/155,168,171,182, 185.ccls. | 380/59,247-249,270.ccls.) AND (@pd<"20030408" or @ad<"20030408" or @prad<"20030408" or @rlad<"20030408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/09 16:03
S19	110	wide area AND (stor$3 | memory | medium | media | disk) AND (server | station) AND (electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND key AND (identif$7 | "ID") AND network AND communication$1 AND mobile AND (726/2-8,21.ccls. | 713/155,168,171,182, 185.ccls. | 380/59,247-249,270.ccls.) AND (@pd<"20030408" or @ad<"20030408" or @prad<"20030408" or @rlad<"20030408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2008/10/09 16:04
S20	56	service provider$1 AND list AND wide area AND (stor$3 | memory | medium | media | disk) AND (server | station) AND (electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND key AND (identif$7 | "ID") AND network AND communication$1 AND mobile AND (726/2-8,21.ccls. | 713/155,168,171,182, 185.ccls. | 380/59,247-249,270.ccls.) AND (@pd<"20030408" or @ad<"20030408" or @prad<"20030408" or @rlad<"20030408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2008/10/09 16:04

EAST Search History

S21	59	service provider$1 AND list$3 AND wide area AND (stor$3 | memory | medium | media | disk) AND (server | station) AND (electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND key AND (identif$7 | "ID") AND network AND communication$1 AND mobile AND (726/2-8,21.ccls. | 713/155,168,171,182, 185.ccls. | 380/59,247-249,270.ccls.) AND (@pd<"20030408" or @ad<"20030408" or @prad<"20030408" or @rlad<"20030408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2008/10/09 16:05
S22	69	haparnas.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 10:07
S23	46	haparnas.in. AND mobile AND communication$1 AND network	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 10:07
S24	46	haparnas.in. AND mobile AND communication$1 AND network AND device	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 10:07
S25	6	haparnas.in. AND mobile AND communication$1 AND network AND device AND key AND identif$7	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 10:08
S26	1337	(server | base$1station) AND key AND (identif$7 | "ID") AND network AND communication$1 AND mobile AND (726/2-8,21.ccls. | 713/155,168,171,182, 185.ccls. | 380/59,247-249,270.ccls.) AND (@pd<"20030408" or @ad<"20030408" or @prad<"20030408" or @rlad<"20030408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/09 13:44
S27	1639	(server | base$1station) AND key AND (identif$7 | "ID") AND network AND communication$1 AND mobile AND (726/2-8,21.ccls. | 713/155,168,171,182, 185.ccls. | 380/59,247-249,270.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/09 13:44

EAST Search History

S28	3155	(server | base$1station) AND key AND (identif$7 | "ID" | electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND network AND communication$1 AND (mobile | client) AND (726/2-8,21.ccls. | 713/155,168,171,182,185.ccls. | 380/59, 247-249,270.ccls.) AND (@pd<"20030408" or @ad<"20030408" or @prad<"20030408" or @rlad<"20030408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/09 13:46
S29	3793	(server | base$1station) AND key AND (identif$7 | "ID" | electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND network AND communication$1 AND (mobile | client) AND (726/2-8,21.ccls. | 713/155,168,171,182,185.ccls. | 380/59, 247-249,270.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/09 13:46
S30	3655	(verif$7 | authenticat$3 | authoriz$5) AND (server | base$1station) AND key AND (identif$7 | "ID" | electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND network AND communication$1 AND (mobile | client) AND (726/2-8,21.ccls. | 713/155,168,171,182,185.ccls. | 380/59, 247-249,270.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/09 13:47
S31	1614	(verif$7 | authenticat$3 | authoriz$5) AND (server | base$1station) AND key AND (identif$7 | "ID" | electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND communication$1 network AND (mobile | client) AND (726/2-8,21.ccls. | 713/155,168,171,182,185.ccls. | 380/59, 247-249,270.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/09 15:11
S32	2289	(verif$7 | authenticat$3 | authoriz$5) AND (server | base$1station) AND key AND (identif$7 | "ID" | electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND communication$1 network AND (mobile | client) AND (726/2-4,16,17,21, 26,27.ccls. | 713/155,168,171,182.ccls. | 380/59,247-249,270,277,278.ccls. | 455/410,411,556.1-559,565,466,26.1.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/09 15:17

3/11/2009 10:47:32 AM

Page 5

C:\Documents and Settings\olouie\My Documents\EAST\Workspaces\10820682_SecurityKeyMGMTSystemAndMethodInAMobileCommNetwork_.w

EAST Search History

S33	20	(service provider NEAR (list | file)) AND (verif$7 | authenticat$3 | authoriz$5) AND (server | base$1station) AND key AND (identif$7 | "ID" | electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND communication$1 network AND (mobile | client) AND (726/2-4,16,17,21, 26,27.ccls. | 713/155,168,171,182.ccls. | 380/59,247-249,270,277,278.ccls. | 455/410,411,556.1-559,565,466,26.1.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/09 15:18
S34	976	service provider AND (verif$7 | authenticat$3 | authoriz$5) AND (server | base$1station) AND key AND (identif$7 | "ID" | electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND communication$1 network AND (mobile | client) AND (726/2-4,16,17,21,26,27.ccls. | 713/155,168,171,182.ccls. | 380/59,247-249,270,277,278.ccls. | 455/410,411,556.1-559,565,466,26.1.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/09 15:18
S35	907	secur$3 AND service provider AND (verif$7 | authenticat$3 | authoriz$5) AND (server | base$1station) AND key AND (identif$7 | "ID" | electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND communication$1 network AND (mobile | client) AND (726/2-4,16,17,21,26,27.ccls. | 713/155,168,171,182.ccls. | 380/59,247-249,270,277,278.ccls. | 455/410,411,556.1-559,565,466,26.1.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/09 15:19
S36	110	secur$3 AND service provider AND (verif$7 | authenticat$3 | authoriz$5) AND (server | base$1station) AND (unique NEAR key) AND (identif$7 | "ID" | electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND communication$1 network AND (mobile | client) AND (726/2-4,16,17,21,26,27.ccls. | 713/155,168,171,182.ccls. | 380/59,247-249,270,277,278.ccls. | 455/410,411,556.1-559,565,466,26.1.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/09 15:20

3/11/2009 10:47:32 AM
C:\ Documents and Settings\ololouie\My Documents\EAST\ Workspaces\10820682_SecurityKeyMGMTSystemAndMethodInAMobileCommNetwork_.w

Page 6

EAST Search History

S37	708	secur$3 AND service provider AND (server | base$1station) AND key AND (identif$7 | "ID" | electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND communication$1 network AND ((verif$7 | authenticat$3 | authoriz$5) SAME (mobile | client) AND (726/2-4,16,17,21,26,27.ccls. | 713/155,168,171,182.ccls. | 380/59,247-249,270,277,278.ccls. | 455/410,411,556.1-559,565,466,26.1.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/09 15:21
S38	486	secur$3 AND service provider AND key AND (identif$7 | "ID" | electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND communication$1 network AND (server | base$1station) SAME ((verif$7 | authenticat$3 | authoriz$5) SAME (mobile | client)) AND (726/2-4,16,17,21,26,27.ccls. | 713/155,168,171,182.ccls. | 380/59,247-249,270,277,278.ccls. | 455/410,411,556.1-559,565,466,26.1.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/09 15:21
S39	486	secur$3 AND service provider AND key AND (identif$7 | "ID" | electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND communication$1 network AND ((server | base$1station) SAME ((verif$7 | authenticat$3 | authoriz$5) SAME (mobile | client))) AND (726/2-4,16,17,21,26,27.ccls. | 713/155,168,171,182.ccls. | 380/59,247-249,270,277,278.ccls. | 455/410,411,556.1-559,565,466,26.1.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/09 15:22
S40	108	secur$3 AND service provider AND (key NEAR (server | base$1station)) AND (identif$7 | "ID" | electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND communication$1 network AND ((server | base$1station) SAME ((verif$7 | authenticat$3 | authoriz$5) SAME (mobile | client))) AND (726/2-4,16,17,21,26,27.ccls. | 713/155,168,171,182.ccls. | 380/59,247-249,270,277,278.ccls. | 455/410,411,556.1-559,565,466,26.1.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/09 15:23

S41	9	secur$3 AND service provider AND ((provid$3 | transmi$5 | send$3) NEAR key NEAR (server | base$1station)) AND (identif$7 | "ID" | electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND communication$1 network AND ((server | base$1station) SAME ((verif$7 | authenticat$3 | authoriz$5) SAME (mobile | client))) AND (726/2-4,16,17,21,26,27.ccls. | 713/155,168,171,182.ccls. | 380/59,247-249,270,277,278.ccls. | 455/410,411,556.1-559,565,466,26.1.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/09 15:24
S42	2	secur$3 AND service provider AND ((provid$3 | transmi$5 | send$3) NEAR key NEAR (server | base$1station)) AND (identif$7 | "ID" | electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND communication$1 network AND ((server | base$1station) SAME ((verif$7 | authenticat$3 | authoriz$5) SAME (mobile device | mobile client | mobile))) AND (726/2-4,16,17,21,26,27.ccls. | 713/155,168,171,182.ccls. | 380/59,247-249,270,277,278.ccls. | 455/410,411,556.1-559,565,466,26.1.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/09 16:07
S43	2	"5539824".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/10 17:26
S44	0	(access control NEAR list) AND service provider AND ((provid$3 | transmi$5 | send$3) NEAR key NEAR (server | base$1station)) AND (identif$7 | "ID" | electronic serial number | "ESN" | international mobile equipment identity | "IMEI" | phone number | "SIM") AND communication$1 network AND ((server | base$1station) SAME ((verif$7 | authenticat$3 | authoriz$5) SAME (mobile device | mobile client | mobile))) AND (726/2-4,16,17,21,26,27.ccls. | 713/155,168,171,182.ccls. | 380/59,247-249,270,277,278.ccls. | 455/410,411,556.1-559,565,466,26.1.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/11 10:12

3/11/2009 10:47:32 AM
C:\ Documents and Settings\olouie\My Documents\EAST\Workspaces\10820682_SecurityKeyMGMTSystemAndMethodInAMobileCommNetwork_.w

Page 8

EAST Search History

S45	0	(access control NEAR list) AND service provider AND ((provid$3 | transmi$5 | send$3) NEAR key NEAR (server | base$1station)) AND communication$1 network AND ((server | base$1station) SAME ((verif$7 | authenticat$3 | authoriz$5) SAME (mobile device | mobile client | mobile))) AND (726/2-4,16,17,21, 26,27.ccls. | 713/155,168,171,182.ccls. | 380/59,247-249,270,277,278.ccls. | 455/410,411,556.1-559,565,466,26.1.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/11 10:13
S46	0	(access control NEAR list) AND service provider AND (key NEAR (server | base$1station)) AND communication$1 network AND ((server | base$1station) SAME ((verif$7 | authenticat$3 | authoriz$5) SAME (mobile device | mobile client | mobile))) AND (726/2-4,16,17,21, 26,27.ccls. | 713/155,168,171,182.ccls. | 380/59,247-249,270,277,278.ccls. | 455/410,411,556.1-559,565,466,26.1.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/11 10:14
S47	31	(access control NEAR list) AND service provider AND key AND (server | base$1station)) AND communication$1 network AND (server | base$1station) AND ((verif$7 | authenticat$3 | authoriz$5) AND (mobile device | mobile client | mobile) AND (726/2-4,16,17,21,26,27.ccls. | 713/155,168,171,182.ccls. | 380/59, 247-249,270,277,278.ccls. | 455/410,411, 556.1-559,565,466,26.1.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/11 10:15
S48	1	((access control NEAR list) SAME service provider) AND key AND (server | base$1station)) AND communication$1 network AND (server | base$1station) AND ((verif$7 | authenticat$3 | authoriz$5) AND (mobile device | mobile client | mobile) AND (726/2-4,16,17,21,26,27.ccls. | 713/155,168,171,182.ccls. | 380/59, 247-249,270,277,278.ccls. | 455/410,411, 556.1-559,565,466,26.1.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	ADJ	ON	2009/03/11 10:16

3/11/2009 10:47:32 AM
C:\ Documents and Settings\olouie\My Documents\EAST\Workspaces\10820682_SecurityKeyMGMTSystemAndMethodInAMobileCommNetwork_.w

Page 9